

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

JONATHAN EDWARD LIGHTNER JOHN JOSEPH OKULEY

CASE NO.: BB-1043-A

SERIAL NO.: 08/256,047

GROUP ART UNIT: 1803

COPY OF PAPERS **ORIGINALLY FILED**

FILED: OCTOBER 7,1994

EXAMINER: MCELWAIN

FOR: GENES FOR MICROSOMAL DELTA-12

FATTY ACID DESATURASES AND RELATED ENZYMES FROM PLANTS

Date: JANUARY 30, 1998

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

DECLARATION OF DR. ANTHONY JOHN KINNEY UNDER 37 CFR 1.132

- I, Anthony John Kinney declare as follows:
- 1. I am a citizen of the United Kingdom and am a permanent resident of the United States of America, residing in Wilmington, Delaware.
- 2. I received a B Sc. in biology from the University of Sussex in 1980 and a D. Phil. in biochemistry and cell biology from Oxford University in 1985.
- 3. I served as a research fellow in the Department of Food Science at Rutgers University, New Brunswick, N.J. 9/87-5/89.
- 4. I have been employed at E. I. du Pont de Nemours and Company (DuPont) since June, 1989 and presently work as a principal investigator for DuPont's agricultural products and am presently working on expression of storage oil genes.
 - 5. I have authored in excess of fifteen refereed articles in the field of biochemistry.
- 6. I have reviewed the above-identified case, and the Official Action for the subject case date? October 30, 1997. I understand that this declaration is being submitted to address ons of the pending claims under 35 USC \$112 first paragraph or second paragraph ed nerewith are a number of amino acid sequence alignments and phylogenetic tree Topic Power of manner on plant C18.1 acy1-ACP delta-12 desaturases or acy1-ACP 12hydroxylases which were discussed with the Examiner at the interview held on December 9,

THEREBY CERTIFY THAT THIS PAPER IS BEING DEPOSITED WITH THE UNITED STATES PESTAL SERVICE WHITEST HIGH-NEPONTAGE AN FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO ASSECUMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231, ON THIS DATE

1/30/98 Jemy Jac-

Application No.: 08/250,047 Docket No.: BB-1043-A

1997. All of these figures were prepared using the Megalign program from DNAStar, Inc., applying the comparison method of Hein (1990, *Meth. Enz.* 183:626-546).

The subject case discloses nucleic acid fragments encoding several plant C18:1 acyl-ACP delta-12 desaturases and a plant C18:1 12-hydroxylase which can be characterized as a delta-12 desaturase related enzyme. These nucleic acids encode proteins that form a distinct class of enzymes with regard to their amino acid sequence conservation.

Attachment I presents an alignment of the polypeptides set forth in SEQ ID NOS:2, 4, 6, 8, and 12; these are the predicted gene products from the nucleotide sequences set forth in SEQ ID NOS:1, 3, 5, 7, and 11. The shaded residues in the alignment indicate those residues that are conserved when compared with the *Arabidopsis* polypeptide (SEQ ID NO:2).

Attachment II is a phylogenetic tree depicting the calculated evolutionary/structural relationship of the sequences aligned in Attachment I. These figures clearly depict the close evolutionary/structural relationship among these proteins. Furthermore, it is also apparent that the 12-hydroxylase from castor is a member of this class of proteins. Within these alignments it can be seen that the delta-12 desaturase from soybean is more closely related to the hydroxylase from castor than it is to the other delta 12-desaturases disclosed in the subject specification. The sequences disclosed in the instant specification are also very closely conserved with other plant delta-12 desaturases.

Attachment III presents the amino acid sequence alignment of the previously mentioned polypeptides with those of other desaturases that have appeared in the public domain since the filing of the subject case. The additional sequences are for the proteins from *Brassica juncea*, parsley, potato, sunflower, and peanut (GenBank or EMBL accession numbers X91139, U86072, X92847, U91341, and AF030319, respectively). The corresponding phylogenetic tree for this expanded group of protein sequences is found (plotted on a logarithmic scale) in Attachment IV. These comparisons show clearly the relationship between these sequences, and convey graphically the expectation that any one of nucleic acid sequences set forth in SFD ID NO 1, 3, 5, 7, or 1, may be used as a hybridization probe for genes encoding other plant delta-12 desaturases or desaturase related enzymes, such as 12-hydroxylases. This has been confirmed in my laboratory.

Delta-12 desaturase or 12-hydroxylase protein sequences are structurally distinguishable from those of the next most closely related class, the delta-15 desaturases. Attachment V presents an amino acid sequence alignment of the previously described 12-

Application No.: 08/256,047 Docket No.: BB-1043-A

desaturases with the sequences of plant delta-15 desaturases that were disclosed in WO 93/11245 (now pending USSN 08/244205). As suggested by the data within the specification for the subject case, it is relatively easy to identify delta 12-desaturases on the basis of their similarity, and moreover to distinguish them from the delta-15 desaturases due to their dissimilarity. The shading in this figure indicates those residue that are conserved relative to the delta-12 desaturase of *Arabidopsis*. Alignment of the 12-desaturases indicates that there is approximately 50% strict conservation or identity of amino acid residues across these proteins, however, they share only 30%-35% identity with any of the delta-15 desaturases. The phylogenetic tree depiction (Attachment VI) shows quite clearly that the two classes do not overlap. Rather, their members are separated by a highly statistically significant divergence, as is indicated by the scale along the bottom of the figure. Further support for this distinction comes from failed experimental attempts to use a gene encoding a plant delta-15 desaturase as a hybridization probe to identify and isolate genes that encode plant delta-12 desaturases.

The delta-12 desaturases are members of a group of proteins that catalyze various oxidat is of C18:1 fatty acyl groups at the C12-C13 bond. That is, other activities are known which catalyze mechanistically similar oxidations at this position, but do not necessarily produce a double bond in the product. However, it is not possible to say that these represent different classes of structures.

Disclosed in the subject case is the cDNA sequence from Ricinus communis (castor bean) encoding a 12-hydroxylase, which is a desaturase-related enzyme. The amino acid sequence of this protein is seen to fall cleanly within the "delta-12 desaturase" group when analyzed by a comparison method such as that of Hein (1990). Attachment V and VI also include within their presentations the placement of the hydroxylase from Lesquerella fendleri (WO 97/30582, SEQ ID NO:4). What is striking about this comparison is that the Lesquerella hydroxylase and the Arabidopsis delta-12 desaturase are more closely related to each other than they are to any other hydroxylase or desaturase included in the analysis. Not only are the proteins indistinguishable on the basis of their sequence, but it is now known that it may not be possible to distinguish them with regard to their function. Braun et al. recently described results of experiments which sought to identify amino acid residues that disposed a profess to occur greather a desaturase or a hydroxylase (Broun et al., in Physiology, Boothemistry of Modeletta Richery of Plant Lapids "Williams, J.P. et al., edic, Kluwer Academic Publishers, Dordrecht, 1997, pages 342-344; a copy of which is enclosed herewith). During the course of their work, the authors expressed the "hydroxylase" from Lesquerella in yeast under the control of an inducible promoter, and found that when

Page 4

Application No.: 08/256,047 Docket No.: BB-1043-A

compared to the uninduced control, the induced transformant produced both the C18:2 fatty acid, linoleic acid, and the 12-hydroxy form of oleic acid, ricinoleic acid. As it is known that yeast normally does not make detectable amounts of either of these oleic acid derivatives, it follows that the single protein from *Lesquerella* is responsible for the production of both products. Accordingly, it is both a "desaturase" and a "hydroxylase." These researchers then showed that mutation of only six amino acids (out of a total of 384 residues) was sufficient to convert this to a protein with properties closer to those of a "pure" desaturase. These results are depicted graphically in Figure 1 of the reference. Thus, it is apparent that this structural and functional class of proteins certainly includes more than enzymes that catalyze desaturation.

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Respectfully submitted,

DR. ANTHONY JOHN KINNEY

Date: 30 JAN 98



COPY OF PAPERS ORIGINALLY FILED

Attachment I

Argnment Report of microfad2 MEG, using J. Hein method with PAM250 residue weight table.

Monday, January 26, 1998 4 48 PM

MORAGOR SINCE - - - VXX SISE - - - - SOTDX LKR VPCER P Majority

	М	G	À	;	<i>3</i>	R N	<u>1 X</u>	-	-		- ::	Х	Х	S	3	r.	,	_	_	-	-	13	: .;	7	D	X I	L K	R	V	P C	Е	.1	P	Majority
									10								2	0								30							40)
	_			_		, c			+-	F 1	v 0			_			<u>_</u>							<u>.</u>	ĸ	L P I	. s	R	v	P.N	т	K. L		- `New soyxfad2.pep
																																		CASTOR FA-OH.PEP
•																																		New araxfad2.pep
																																		New canxfad2.pep
																																		. cornfad2e.PRO
	F	Т	.l	G	ृा	L K	E	A	I	P	P H	С	F	E	R:	5 I	L	R	S	F	s '	Y V	V	Y	D	L]	Ι	Α	s (F	Y	ΥV	Α	Majority
									50								6	2								70							30	1
1.8	-		• • •				· v	_	+	D 1	- u	-		_	6		٠.	· (r)			ė s	, ,,	,	v	_	T C		λ.	E .	- E	·v	_ T		New soyxfad2.pep
. e 25																																		CASTOR FA-OH.PEP
3.1																																		New araxfad2 pep
:1																																		New canxfad2.pep
5.7																																		cornfad2e.PRO
	T	Т	Y	F	ΡI	, L	F	S	P	L S	5 Y	Х	Α	W	PΙ	. Y	W	A	Ċ	Q	G (. A	L	T	3	V W	; V	Ι.	A I	E	С	G H	Н	Majority
									90								10	0							1	10							120)
57	_	т	·	F	нт	. T.	P	_	p i		3 i I.	7	- A	w	p 1	. Y	W	. V	1.	0	g (· I.	Τ.	~~	13 1	V W	r v	T.	A I	. IS	c:	G H	_L	New soyxfad2.pep
-5																																		CASTOR FA-OH.PEP
`1																																		New araxfad2.pep
1																																		New canxfad2.pep
17	L	A	Ι	Ţ	P A	L	F	S	P I	F	₹	Α	A	W:	ΡI	Υ	W	I	A	Qi	3, 0	V	C	T	G 1	V W	V	T,	ΑÌ	E	c	G H	Н.	cornfad2e.PRO
	<u> </u>	F	3	-	<u> </u>	17	<u>-</u>	-	D :	<i>! '!</i>	3	L	I	L :	H S	5 F	- [L	• •	P .	í F	` 3	W	K	``	S H	R	R I	H H	S	N	T G	<u> </u>	Marcrity
								:	. 30								14	-							1	50							150	
	$\overline{\Lambda}$	F		r.	ΥC	W		D	<u>т</u> .	. v	7 5	L			H S		1,	 بذ	v	ř,	ć i	s	W	K	. :	5 Н	R	R I	i H	S	N.	r G	<u>.</u>	nea soyxladripep
115																																		CASTOR FA-OH.PEP
																																		New araxfad2.pep
111	Α	F	S	Ď	Ϋ́C	W	L	D	D .	' V	G	Ļ	I	FI	1 5	F	L	L	v	P	r F	S	W	K	Y S	5 H	R	RI	I H	`S	N.	r G	S	New canxfad2.pep
117	Α	F	S	D	Y. S	L	L	D.	D \	, v	G	L.	V :	LI	1 9	. S	L	М	V	Ρ.	/ F	. S	W	K	Y 2	5 ₋ H	R	R I	I cH	S	N.	r G	s	cornfadle.PFO
													_										_							_			_	
	<u> </u>	E	E	L	E V	F	Ų.	Ρ	K 2	- K	S	A	1 .	S	N Y	S	1	Y	i.i	- [1 1/	۲	L	نی	F \	/ V	М	ь п	. v	Q	L.	l' L	' ,	Majority
								1	70								19:	5							1 3	90						2	200	
	L	D	F.	D.	E V	Ę	v	P	Ķ E	K	Ś	K.	7.	A V	V F	ŝ	K	Y.	L.	- 1	1 N	P	L	G,	F. 7	· ·	5	LI	V	T	L	ΓI	Ġ,	New soynfadî.pep
																																		CAUTOR FA-OH.PEP
151	L	E	Ŕ	D :	È. V	F	٧	ė	κç	K	s	Α.	Ï	K	ΙY	G	K	Υ	L	. 1	ΪN	P	L,	G	F. I	`M	M	г, т	. v	Ò,	P.V	/ iL	G	New araxfad2.pep
.51	L.	E	F.	D	E.V	F	V.	P	R F	S	.	Τ	S :	s .	- (;	Т	A	S	-	. 3) T	T	F	G	F T	r v	M	ני אַ	ďV	Q	F	r L	G	New canxfad2.pep
157	L	E	F.	D :	E V	F	V	P	K F	K	E	A	L	PV	₹ Y	. Т	F	Y	Ţ	Y 1	1, N	P	Ĺ.	G	F: \	/ V	H	I 7	v	Q	L	r ·L	G	cornfadle PRO
				• -									•.	~											.		_			~	, ·	, ,,		Marrier
		F.		1		r	19	*	3 5	, F(:	<u></u>	<i>₩</i> 1	,		А	Ţ	п	r	_ t		2.7	t	i.	1 1	, ,	۲.	E r	دا .	₩.	1 :		Ť	Majority
								.!	10							4	1								23	e c L							140	
155	W	Р	M	Y	L A	F	N	v	SG	R	P	Y	Ď.	s ·	F	A	S	Н	Y	H E	· 7	A	P	I	Y 3	N	F.	E F	L	L,	ΙŻ	· v	3	New soyxfad2.pep
٠.	\mathbf{x}	r		¥ :	L A	Ē	N	•	\$ 6	F	F	¥	D :		F	A	2	Η					Ε.	Ξ,	-	÷.	F	Εŀ	L	2	I	:	À	TO DEPARTMENT
																																		Med maxfall per
									. · · · ·																									
•	w	,	Ľ,	Y I	. A		ÌΨ	**	SG	R	. p	Y,	jur s		F	. д	۲.	H	F		* * *	* •	F.	1	ı N	i -Tz	E	F. F	A	Q	-f F	· V	S	r triadze eko

*Alignment Report of microfad2 MEG, using J. Hein method with PAM250 residue weight table. Monday, January 26, 1998 4:48 PM

	DAGILAVT	FGLYRYA	AAÇSVAWVV	ZVYGVPLLIVN	G F L . L Majority
		250		270	
		250	260 	270 	280
25	DVALFSVT	Y S L'YR V A	CTKCTAMTT	VYGVPLLIVN	G P I T New soyxfad2 pep
233	DLGIFATT	FVLYCATM	AKGLAWVMI	RIYGVPELLIVN	C F M CASTOR FA-OH PEP
29	DAGILAVC	FGLYRYA	A Q G M A'S M I'	LY'CVP\LETVN	A Full V L New araxfad2 pep
29	DAGILAVC	YGLIFYAA	VOGVASMV	FLRVPLLTVN	G F T.V. L New canxfad2 pep
36	DAGVVAVA	FGLYFLAA	AFGVWWVVI	RVYAVPLLIVN	A W L V L. cornfad2e PRO
	ITYLQHTH	PSLPHYDS	SEWDWLRGA	ALATVDRDYGI	LNKVF Majority
				240	300
		290	300	310	320
365	ITYLQHTH	ар нүр з	SEWDWLKG	LATMDRDYGI	LN KV F. New soyxfad2 pep
373	ITYLQHTH	PAIPFXGS	SEWDWLRGI	AMVTVDRDYGV	L.N.K.V.F. CASTOR FA-OH PEP
169	I.T.Y L.Q.H.T.H.	P.S.L.P.H.Y.D.S	SEWDNLRGI	LATVDRDYGI	K.W.K.W.F. New araxfad2.pep
369	ITYLQHTH	SLPHYDS	SEWDWLRGA	LATVORDYGI	LNO G F New canxfad2.pep
176	ITYLQHTH	SLPHYDS	SEWDWLRGA	LA TOM DRODY GI	LNRVE cornfad2e PRO
	HNITITHV	AHHLFSTM	PHYHAMEAT	RKAIKPILGEY	Y Q F D G Majority
		-1	7.40	350	
		330 	340	350 	360
305	HHITOTHV	HHLFSTM	PHYHAMEAT	NAIKPILCEY	Y O Rat D D New soyxfad2 pep
					KRYDC CASTOR FA-OH PEP
309	ниттотну	чнеезтм	PHYNAMEAT	KAIRPILG DY	Y O F D G New araxfad2 pep
: 09	HNITDTHE	HH,LFS,TM	PHYHAMEAT	KACKPCLGEY.	Y Q F D G New canxfad2 pep
-16	HNITOTHVI	HHLFSTM	РНҮНАМЕАТ	KA,IRP,ILGDY	Y:H F:D:P cornfad2e.PRO
	TPVYKALWF	EAKECIY	VEPDEGGDK	KG'. WYNNKY	Majority
			T		
		370	390	3 3 3	
4.1	TFIYEALWE	PAECI Y	VEDECISE	KGVYWYRNKY	New Juyodadi jej
:53	TPFYKALWF	EAKECLF	VEPDEGAPT	Q G V F W Y R N K-Y	CASTOR FA-OH.PEP
					NT £ 10
349	TPWYVAMY	EAKECIX	AVIE PADIR ENGIN K	K G V Y W Y N N K L	New araxfad2.pep
		and the first than the second	VEPDREGUK	The second of th	New danxfad2.pep
:49		EAKECTY	NEDDROGEK	The second of th	

Decoration 'Decoration #2': Shade (with bright turquoise at 40% fill) residues that match New araxfad2 pep exactly.


New scyxfad2.pep = soybean delta-12 desaturase CASTOR FA-OH.PEP = castor 12-hydroxylase

New araxfad2.pep = Arabidopsis delta-12 desaturase

New canxfad2.pep = cancla delta-12 desaturase

cornfad2e.PRO = corn delta-12 desaturase

Attachment II



New soyxfad.2pep = soybean delta-12 desaturase CASTOR FA-OH.PEP = castor 12-hydroxylase New araxfad2.pep = Arabidopsis delat-12 desaturase New canxfad2.pep = canola delta-12 desaturase cornfad2e.PRO = corn delta-12 desaturase

Attachment III


January 26, 1998 5 2	24 PM		3	
: A 3 G R M	- 3 3	- К 4 S E - К	NP	Majority
1:	0	7 20	30 40	-
1				
			K P	
			EK	
and the second of the second of the second		A contract of the contract of		
			D·N	
			. A R A T G G A A	
			N P	,
· · · · · · · · · · · · · · · · · · ·			NSEEV	
			N P	potatoFad2.PRO
			K P	Peanut . PRO
		· · ·		
LQRV	PHEKPPF	TVGDLKKAIP	PHCFKRSLPRSFS	Majority
	<u> </u>	6 ()	7.0	
5 (60	70 80	
			PHCFQRSLLTSES	
			PHCFERSFVRSFS	
			PHCFKRSIPRSES	
			PHCFKRSIPRSFS	
			PHCFERSVLKSES	
			PHCFKRSIPRSES	
			PHCFORSLTRSFS PHCFKRSVIRSFS	
			PHCFQRSLIRSFS	
			PHCFERSLFIS FS	
L 5 K, V	rnswr _k r	S. V. G. O. TY X. K. H. T. E.	'E'U C'E'E K'D'E E I'D'E' G	realiuc. PRC
TTYPLIIAS	CLYYVAT	TYPPLLESEL	SYLAWPLYWACQG	Majority
·		•	SYLAWPLYWACQG	•
90)	103	110 120	
V V Y D L S F A F	- 1 F Y I A T	TYFHLLPQPF	SLIAWPIYWVLQG	New soyxfadl pep
			SYVAWLVXWLFQC	
	スケット しょうしき メリー・マーライ		SYLAWPLYWACOG	
# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			SYFAWPLYWACOG	
			RYAAWPLYWIAQG	
			SYVAWPLYWACQG	
		· · · · · · · · · · · · · · · · · · ·	SSIAWASYWVVQ.G	
			SYIAWPIHGFVQG	
			CYIAWPIYWICOG	
TYPDLLVAY	PPEXIT	лурнкъръте.	SFLAWPIYWAIQG	Peanut.PRO
ит починта	иг понид	F S D V O W I I D T	V G T T T H S S T T V P V	Majority
		1 3 2 1 4 11 11 12 1	VGLILHSSLLVPY	Majorrey
130	0	140	150 160	
LTGVWVIA	HECGHHA		VGLTIHSTLLVEX	New soyxfad2.pep
			V,G L I V H S A L L V P Y	
TETER WINDS	нессина	r <i>s</i> prowit or	VGLIFHSFLLVPY	New araxfad2 per
VITG"WVIA	$H \in G \cap H \neq A$	FSDYQWLDDT	VGLIFHSFLLVPY	New canxfad2.pep
			V G L V L H S J L M V P Y	
			文明工一大概35年JA基學基準。	
			V GIR V L HIS S LIL V PIY	
			VGLIIHS LLVPY	
			VGLILHSAL-LVP-Y.	
LTGTWV-IA	HECGHHÄ	FSFYQLUDDM	VG L : LHS LLVP:Y	Feanut PRO

WKYSHREHHSNTGSLERDEVFVPKPKSKVSWYSKYL-N Majority 190 180 170 200 SWKISRRRHHSNTGSLDRDEVENPKERKSKVAWFSKYIG-N New soyxfad2.pep SWKYSHRRHHENIGSLERDEVEN PKSKSKISKISKYL - W CASTOR FA-OH. PEP SWKYSHRRHHSNTGSDENVFVFVPKQKSATKWYGKYL-N New araxfad2.pep SWKYSHRRHHSNTGSLERDEVFVPRRSQTSS-GTAST-S New canxfad2.pep SWKYSHRRHUSNTGSLERDEVRVPRKKEALPWYTPYVYN. cornfad2e.PRO SWKYSHRHHSNTGSLERDEVEVPKKKSDIKWYGKYL-N bjunfad2.PRO SWK-YSHHRHKSNTGSLERDEVFVPKSRSKVPWYSKYF-N helianfad2 PRO SWKYSHRRHHBNTGSLBRDEV.FVPKPKBELQSVAKYT-N petroselFad2.PRO SWKYSHRRHHSNTGSLERDEWFVPKPKSCLGWYSKYL - N. potatoFad2.PRO SWKISHRRHHSNTGSLDRNEVEVPKPKSKVSWYNKYM-N Peanut PRO PPGRVVSLTVTLTLGWPLYLAFNVSGRPYDR-FACHYDP Majority 210 230 240 PLGRAVSLLVTLTIGWPMYLAPNVSGRPXDS-FASHYHP New soyxfad2.pep PPGRVLTLAATLLLGWPLYLAFNVSGRFYPRR - FACHYDF CASTOR FA-OH PEP B.L.G.R.I.M.M.D.T.V/QFV/L.G.W.P.L.Y.L.A.F.N.V/S.G.R.P.Y.D.G.-F.A.G.H.F.E.P. New araxfad2.pep TFGRTVMLTTVQFTLGWPLXLARNVSGRPYDGGFACHFHPNew canxfad2.pep PVGRVVHIVVQLTLGWPLXLATNASGRPYPR-FACHFDP cornfad2e.PRO PLGRTVMFTXQFTLGWPLYWARAVSARPEPEGPACHFHP bjunfad2.PRO TVGRIVSMFVTLTEGWPEERADNVSGRDYDR-FACHYVP helianfad2.PRO PPGRVLTELV;TLTFGWPEYYLFNVSSRHYER - FACHYDP petroselFad2.PRO PPGRVLSLAVITLTLGWPLYCLARNVSGRPYDF-FACHYDP potatoFad2.PRO PPGRAISLFITLTLGWPLYLAFNVSGRPYDF-FASHYDP Peanut.PRO APIYSNRERLLIYVSDVALFSVTYSLYRVATLKGLVWLL New soyxfad2.pep 3 PIFSERERLQIYIA DLGIFA TIFVLYQA TMAFGLA WVM CASTOR FA-OH.PEP A PILYN DRERLOGIFUS DAG COMANO OF GOVY RIVA A ANG GMASMIT New araxfad2.pep APIYNDRERLQIYISDAGILAVCYGLLPYAAVQGVASMV New canxfad2 pep JPIYNDRERAQIFVSDAGVVATVAECTXKLAAAFGVWWVV cornfad2e.PRO APIYNDRERLQIYVSDAGILAVCYGLYRYAAAQGVASMV bjunfad2 PRO SPMYNERKRYQÎVMSDIGÎVITSFILYRVÂMAKGLVWVÎ helianfad2.PRO 3 PIYSDRBRAQIDUV SDAGVLAVSYGLAVALAVAK GLTWVL petroselFad2.PRO PIYNNRERCEQIFIES DA GVLG VCYLLYRIA, LVKGLAWLV potatoFad2.PRO ÁPIÝSNŘÉŘLLÍYVŠDSSVFAVTYLĚÝHIATLKGLGWVV Peanut.PRO YGVPLLIVNGFLVLITYLQHTHPSLPHYDSSEWDWLRG Majority 320 310 Y G V P L L I V N G F L V T I T Y L Q H T H F A L P H Y D S S E W D W L F G New Soyxfadi.pep · Y G V P L L I V N C P L V M I T Y L Q H T H P A I P R Y G S S E W D W L R G CASTOR FA-OH. PEP LYGV,PLL,TVN,AFL,WL ITYL,QHTH;PSL;PHY,DSSSBWD,WLR,G New araxfad2.pep ក្រុមព្រះស្ត្រីរាស្ត្រីក្រុស្ត្រីនិងនៅក្រុមនៅព្រះស្ត្រីពិស្តិស្ត្រីស្ត្រីស្ត្រីស្ត្រីស្ត្រីស្ត្រីស្ត្រីស្ត្រីស TY A V P L L'I V N'A W L'V L I T Y L Q H T H P'S L P'H Y D'S S E W D W L'R G - Drnfadle PF បានបាលប្រជាបាលស្ត្រីដែលស្រុម្មិស្សាស្ត្រស្តាស់ ស្ត្រី និងសេស្ត្រី និងសេស្ត្រី បានស្រុក បានស្រុក បានសេស Corr ាមការត្រស់សែបទសៀកគីស់ទ្រឹស់សែបទស្ត្រីអីឃាមែតិសេស្ត្រអមិស្សន់គស់ឃោស្សស្ត្រី (Bernamental) TYGVFLIVWNGFLVLLTTYLQHTHPSLPHYDSTEWDWLRG. potatoFadz.FRo YGVFLLIVNGFLVTITYLQHTHASLPHYDSSEWDWLRG Peanut FRO

د به ته درونځي تېلمې = ۱۸۰۹ غه ۲۰ ځو ۱۴ خ ځې ځوموغه شوه ولاه

LATUDREYGILNKVFHNITDTHVAHHLFSTMPHYHAMEA Majority 330 340 350 LATMDRDYCILINKVFHHITDTHVAHHLESTMPHYHAMEA New soyxfad2 pep MVTVDRDXGVLNXXFHNIADTHVAHHLFATVDHXHAMEA CASTOR FA-OH PEP LATVD BD YGILNEVEHNITD THVAHHLESTMEHANAMEA New araxfad2 pep LATVDRDYSTANOGFHNTTDTHEAHHALFSATERTHATTHATAN New canxtad2 pep LATMDRDYGTUNRVFHNITDTHVAHHLFSTMFHYHAMBA, corntad2e.PRO LATVDRDXGILNKVFHNITDTHVAHHLFSTNFHYHAMEV bjunfad2 PRO LATVDRDYGVLNKVFHHITDTDTHVVHHLESTMPHKKAAMSA helianfad2.PRO LATCDRDYGVLNKVRHNLTDTHVVHHLPSTMPHTMAMEA potatoFad2.PRO LATVDRDYCTENKAFHHITDTHVAHHLFSTMPHYHAMEA, Peanut PRO KAIKPILGDYYQFDGTPFYKAMWREAKECLYVEPDEGGS Majority 370 380 390 400 NAIKPILGE XX Q ROD D MEFYKAL W REAR E.C.L Y WE PEGTS New soyxfad: pep KAIKPIMGEXXRYDGTPFYKALWREAKBCLFVERDEGAP CASTOR FA-OH.PEP KAIKPILE GDYY OF DGTPWYVAMX REAKECTX VERREGD New araxfad: pep KATKPTLCEYYQRDGTRVVKAMWREAKECTYWEPDRQGE New canxfadi.pep KAIRPILE D. A. KAIN REDIP TOP VAKAT WREAG BOTILE BEFOR D - - - cornfad2e.PRO KAIKPILGDXXQEDGEPWVKAMWREAKECIXVEPDRQGE bjunfad2 PRO KALEPVLOEXXREDKTPFXVAMWEBMKECLFVEQDDXXK helianfad2.FRO KATKPILGDYYRR DDTPVVKAMWR BAKECLYVEPDEGDQ petroselFadl.PRO KAVKPLLGOYYQ FOGTPIYKEMWREAKECLYVEKDESSQ potatoFad2.FRO NAIKPILGDYYQFDGTPFYKALWREAKECLYYEFDDDGAS Peanut PFO GVFWYNNKL = - -Majority KGVYWYENKY New soyxfad1 pep Q G V F W Y R N K Y CASTOR FA-OH.PEP KGVYWYNNKL New araxfad2.pep KGVFWYNN New canxfad2.pep KGVFWYNKKF cornfad2e.PFO KGVFWYNNKL. bjunfad2.PRC - GVFWYFNKM - - N. helianfad2.PF:0 KGIFWYNNKL - - - petroselFad2.PRO KGVFWYKNKLpotatoFad2.PRO KGVYWYKNKF Peanut.PRD stirm (estration #2): Shade (with bright turqueise at 40% fill) residues that match eraxfad2.pep exactly. New soymfad2.pep = soybean delta-12 desaturase CASTOR FA-OH.FEI = castor 12-hydroxylase New graxfad2.pep = Arabidopsis delta -12 desaturase New canxfad2.pep = canola delta-12 desaturase month will step = month delta-10 % not inac-Efunfado.PPO - Brassica juncea delta-12 desaturase 10.00 12.000 | Simflower dolta-12 desaturado retroselfaul.FRu = parsely delta-(2 desambrase

Attachment IV



New soyxfad2 pep = soybean delta-12 desaturase CASTOR FA-OH PEP = castor 12-hydroxylase New araxfad2 pep = Arabidopsis delta-12 desaturase New canxfad2 pep = canola delta-12 desaturase cornfad2e PRO = corn delta-12 desaturase bjunfad2 PRO = Brassica juncea delta-12 desaturase helianfad2 PRO = sunflower delta-12 desaturase petroselFad2 PRO = parsley delta-12 desaturase potatoFad2 PRO = potato delta-12 desaturase

Attachment V

4	10				_ Majority
HANLVLS	10	20	30	4	0
HANLVLS			V	1	- New araxfad3.pe
Ř. – – – – –	 ECGTRPTPR		-	R P S	New araxfadd.pe
				K F 3	New canxfad3.pe
			·	R O S	New canxfadd.pe
				K Q 5	New soyxfad3.pe
0			•	H O K C C I	
3. G				поксии	New soyxfad2.pe
					CASTOR FA-OH.PE
A					CORN FAD2.PEP
ś:			5		New araxfad2.pe
					New canxfad2.pe
1)					-
) 					lesqOH.pro
3					bjunfad2.PRO
					helianfad2.PRO
(i					petroselFad2.PR
i	-				potatoFad2.PRO
	·				- Majority
	50	60	70	80)
·		i			-
					New araxfad3.pe
			L S S S	S Y	New araxfadd.pe
	·		-		New canxfad3.pe
			P S S P	R F	New canxfadd.pe
					New soyxfad3.pe
PLAPVII	RPRTGAAL	SSTSRVEFLD	TNKVVAGP	KFQPLR	New soyxfadd.pe
					New soyxfad2.pe
					CASTOR FA-OH.PE
					CORN FAD2.PEP
					New araxfad2.pe
					New canxfad2.pe
					lesqOH.pro
					bjunfad2.PRO
					D J carrage . I Tho
					helianfad2.PRO
					=


New araxfad3.pep = Arabidopsis microsomal delta-15 desaturase New canxfad3.pep - canola microsomal delta-15 desaturase


		1		Majority
	90 	100	110	120
				New araxfad3.pep
ктѕѕѕ	PLSFGLNSR	DGFTRNWAL		New araxfadd.pep
				New canxfad3.pep
R L N		S R N W A L		New canxfadd.pep
				non oujnear-pop
N L R		E R N W G L		New soyxfadd.pep
				New soyxfad2.pep
				CASTOR FA-OH.PEP
			PLPPPCKSCRH	HRSFF CORN FAD2.PEP
				New araxfad2.pep
				New canxfad2.pep
-				lesqOH.pro
				bjunfad2.PRO
				helianfad2.PRO
				petroselFad2.PRO
				potatoFad2.PRO
				•
				GAG Majority
*	T T	1		
	130	140	150	160
	 			New araxfad3.pep
			- N V S T P L T T	New araxfadd.pep
			- N V S T P L T T	
				New canxfad3.pep
				New canxfad3.pep
			-	New canxfad3.pep
			- N V T T P L T V K D T K P L A Y K V S A P L R V	New canxfad3.pep New canxfadd.pep New soyxfad3.pep
		 -	- N V T T P L T V K D T K P L A Y K V S A P L R V	New canxfadd.pep New canxfadd.pep New soyxfadd.pep New soyxfadd.pep
			- N V T T P L T V K D T K P L A Y K V S A P L R V	New canxfadd.pep New canxfadd.pep New soyxfadd.pep G G R New soyxfadd.pep G G CASTOR FA-OH.PEP
			- N V T T P L T V K D T K P L A Y K V S A P L R V C C C C C C C C C C C C C C C C C	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep G G R New soyxfad2.pep G G CASTOR FA-OH.PEP K M CORN FAD2.PEP
P G Q E K			- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep G G R New soyxfad2.pep G G CASTOR FA-OH.PEP K M C G CORN FAD2.PEP New araxfad2.pep
P G Q E K	R G E R G E A R C		- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep G R New soyxfad2.pep G CASTOR FA-OH.PEF CORN FAD2.PEP New araxfad2.pep New araxfad2.pep
P G Q E K	R G E R G E A R C	P P D L L C P D A A	- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep New soyxfad2.pep New soyxfad2.pep New soyxfad2.pep New soyxfad2.pep New araxfad2.pep New araxfad2.pep New canxfad2.pep New canxfad2.pep
P G Q E K	R G E R G E A R C	P P D L L C P D A A	- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfad3.pep New soyxfad2.pep New canxfad2.pep New canxfad2.pep New canxfad2.pep New canxfad2.pep New canxfad2.pep New canxfad2.pep
P G Q E K	R G E R G E A R C	P P D L L C P D A P	- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep New canxfad2.pep
P G Q E K	R G E R G E A R C	P P D L L C P D A A	- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfad2.pep G R New soyxfad2.pep G R New soyxfad2.pep C R New Soyxfad2.pep C R New araxfad2.pep C R New araxfad2.pep C R New canxfad2.pep C R New canxfad2.pep C R New canxfad2.PRO C R New petroselFad2.PRO C R POPT New petroselFad2.PRO
P G Q E K	R G E R G E A R C	P P D L L C P D A P	- N V T T P L T V K D T K P L A Y K V S A P L R V A V T T S S V S V R S	New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep New canxfad2.pep

ay, Janu	ary	26	, 13	996	5 5.	42	PN	VI.				_										_						_			_		_		
FRMA	V	S	P	S	SI	< -	-	-	-	_	_	_		-	-	ĸ	s	_	-			-		Ε	-	_	-	_	_	_	-		_	Т	Majority
					1	7 ^								•	ा .८३									1 19	0									200	1
		_				1									_1									- 1				_	_				_	_	-
																																			New araxfad3.pep
																																			New araxfadd.pep
- V A	M	D	Q	R	۱ ر	1 -	-	-	-	-	-	-	-	-		Α	N	-		-	~ -	-	-	G	-	-	-	-	-	-	-	-	-	D	New canxfad3.pep
- D S	S	S	S	P :	PΙ	: -	-	-	-																										New canxfadd.pep
- A A										-	-	-	-	-	- 1	g,	G	-				-	-	S	-	-	-	-	-	-	-	-	-	S	New soyxfad3.pep
																																			New soyxfadd.pep
																																			New soyxfad2.pep
3 7 71 S																																			CASTOR FA-OH.PEP
G TR M T	E	K	Ε	R I	εĀ	ર્જું -	-	-	-	Q	Ε	Q	L	Α	R	A.	T					-	-	G	-	-	-	-	-	-	-	-	-	G	CORN FAD2.PEP
SIR M. B	¥	7	Ţ,	p;	ş (î	<u>(</u>)	-	-	-	-	-	-	-	-	- 3	ď	ŞÌ.						-	Ż	i –	-	-	-	-	-	-	-	-		New araxfad2.pep
GARAN Q	X	S	P	Ρŗ		<u> </u>	-	-		_	-	-	-		- ĝ	Ţ						-	-	2	-	-	-	-	-	_	~	-	-		New canxfad2.pep
G. ₩IM	ı X	т	ΡŞ	ş d	d	Ç	-	-	-	-	~	-		_	- 3	3	4					-	-	Ê	<u> </u>	-	-	-	-	-	-	-	-	ì	lesqOH.pro
GERN Q	y	s	Ρį	Sil	P JR	ž. –	_		-		-	_	_	-	- ĝ		Šį.					_	_	Ē	-	-	-	-	-	-	-	~	_	8	bjunfad2.PRO
E Y	T	s	-		- v	ř _	-	-		-	~		-	-	- 3	r	N ·					_	_	B	} -	-	-	_	-	-	-	-	-	N	helianfad2.PRO
GR.M.T	I	N	P ·	Q (3 3	; -	_	**	-	~	_	_	_	_	- 1	v à	51					-	_	盖	j -	_	_	_		_	_	_	-	_	petroselFad2.PRO
GAR MES	A	Þ	N	G I	ΞΤ		_	_	_	_	-	-	_	~		Ξ,		- .				_	_	K	٠_	-	-	_	_	_	_	_	_		potatoFad2.PRO
F \$40, \$400.		*																																	
E	-	-	_			P	-	L	D	R	v	P	С.	A	K	P :	P 1	F :	rι	, (5 D	I	K	ĸ	Α	I	P	P	Н	С	F	v	R	s	Majority
					7										1	_								1										Т	
					21	.0								2	20								2	23(0								2	40)
E	_	_	-			R	: -	F	D	_	-		s ,	A	0	3	3) I	< I	£	'n	ΊI	P	A	S	î	a	ĸ	υŝ	ć)	W	ν	ĸ	Ø	New araxfad3.pep
x	_	_	-								_		G .	A	P	Ü		1	4 I	. P	Ď	ļΙ	F	Α	ã	4	â	ĸ	î	á	W	v	ĸ	N	New araxfadd.pep
g - + -	_	_	_					F	D	_	_	ž	s i	A	○ <u>3</u>		i i	ı,	Κ Ι	ć	'n	I	P	Α	S		띩	κ	H	Ċ	W	v	ĸ	Ś	New canxfad3.pep
кт	_	_	_			0	R	F	D	_	- }	2	G i	A.	P	Ź		ð,	1 I	, P	Ď	ΪΙ	R	Α			ei Pi	ĸ	$\vec{\mathbf{n}}$	c.	w	v	ĸ	N	New canxfadd.pep
	_	_	_			D	_			_	- 1	ă	S	A.	P	5	A	9	· –		ਾਲਾ VE	יני T	P	Α	S	4		K	1	3	w	v	к	N	New sovxfad3.pep
N - G V	E	11	E I	K T	, p	E	_	F	D		- 4	哥	G	Α.	P	Ċ		,	ı .		์ดี	Ť	F.	Α	53	٠.		ĸ	7		w	v	ĸ	D	New soyxfad3.pep New soyxfadd.pep
	_	••				p				pa a	Ž	F.	N '	τĦ	× 4			,	S		ξo	à.			Š.		8	àν		, .	ř	o l			New soyxfad2.pep
								-			3.73	¥i.		- 6		2		en 1	. 12	Ě	y v			27		X		60	4		Ž.	E		5	CASTOR FA-OH.PEP
S = = =	_	_			_	λ.	_	M	_			됈	-				L			- 20	 0	**	Ŕ	-		ς.	Čχ		Ĥ	×		-	5		CORN FAD2.PEP
n N = = =															10	Ţ		ŧ.		ě	X_{i}	ŦŽ	ŽΖ	*	÷.		ं,		Ÿ			Ξ'n			New araxfad2.pep
01						Sa.	2		1				2	ď.	9					,		<u> </u>		*		4	Ϋ́	N.			4	3			New canxfad2.pep
<u> </u>	_	-			_	IN .	_		2	S.				١.				,	X	2	1 E	丛	2		100	m ea	*	~~,	14314	MО	100	£.	ं		lesqOH.pro
5 Ki	-	_			~	A	3	L	4	M	<u>ن</u> دي:		*	*				1		.	~~~			Ш				v j	¥.	3	d	Š		î	
냿		_			-	4	, –	1.	1.4	HO	420	- 1	5.00		1.8			Į I	- K	œ.	žΕ	4	SM	445	4		£3.	28		23	::0	v.		67	bjunfad2.PRO
						3.		-	~~	9.4	75	2		_ x				5		70		æ.	236	-	237	40	46.	Ų.	100	-	~	_ !			h - 1 / 6 - 20 - PPO
.1	-	-		-	-	P	-			R								1	I B		ψ							Ų.	Ø	\$	Ĩ,	Q	3	22.3	helianfad2.PRO
N	-	-	- ·	 	-			L	Q.	r.	V.		V S	3 (7	, ,	1	T T	¥	Ç	o o o	I	K		Ų.	Ť					À	္ မ		ž	helianfad2.PRO petroselFad2.PRO potatoFad2.PRO

FLFSFSYVVRDLIIV	SALY-VATTYI	FPLLP-PI	S A Majority
250	260	270	280
PLRSMSSIVVRDELIAV	AALA-IAAVE	/ D S W F 🔯	New araxfad3.pep
FWF SILSTIV V P. DV A LV			New araxfadd.pep
PLRSMSTVAPOFFAV	VALA-VAAVX	*DSWFF	New canxfad3.pep
	FALA - AGAANI	-	New canxfadd.pep
PWRSLESVLROVLVI	AALV-AAAIH	ў́римг <u>а́а</u> ́	New soyxfad3.pep
PWRSMSTVVRDVEAV	FGLA - AAAA	NNWLV	New soyxfadd.pep
LLTSFSAVVYDLSF	FITY - I ANT Y	н 16 Майсон г	- L I New soyxfad2.pep
V R S F N F A Y N F C L S	FLS X SIAMF	PYISS	- V CASTOR FA-OH.PEP
V L K SEE STAV V H TO L V TA	AALLAFFALAII	РА 2000 S 2000	R - X A CORN FAD2.PEP
I PR SEE STANDISHED TO SEE		15 J	- New araxfad2.pep
A PRESENT WELL HEAD OF STREET	ACT T SA	P 00 10 P N	5 - 2 F New canxfad2.pep
i P.R.S. P.S. Harris was a second i p.R.S. P.S. Call Land Will Lav		64	T lesqOH.pro
I A W. P. L. R. S. L. R. S. L. L. L. M. D. D. L.	SICTEMATION OF THE	Р 🕶 – – 🕳 🖽 Н 💆	- V V bjunfad2.PRO
LTRSESTVLSTLTET		нн т	- S I helianfad2.PRO
VIRSE VVYDLVLA		ой лин	- 💥 I 🧥 petroselFad2.PRO
LIRSTANVVYDLTLV	SIM TO WE NIT TO	хн ж ж з х х	C - X I potatoFad2.PRO
	WVIGHEСGННА	FSDYQWLDD	TVGLI Majority
	W V I G Н Е С G Н Н А 300	FSDYQWLDD	T V G L I Majority 320
WPLYWAAQGCVLTGI 290	300	310	320
WPLYWAAQGCVLTGI 290 WPLYWAA	300 F W LGHD SWN GS	310 F S D I P L M N S	320 V New araxfad3.pep
WPLYWAAQGCVLTGI 290 WPLYWAAQTTLFWAA	300 F W LGHD 50 3NGS FWLGHD 5 33GS	310 FSDIPLMNS FSINDPKINS	320 V H New araxfad3.pep V H L New araxfadd.pep
WPLYWAAQGCVLTGI 290 WPLYMAAXOTLFWAX WPLYMLAXOTLFWAX	300 F WI LGEFD 573 NGS FWILGEFD 53 SEGS FWILGEFD CENTGS	310 FSDIPLONS FSINDPKONS	320 V O H New araxfad3.pep V O H L New araxfadd.pep A Now Canxfad3.pep
WPLYWAAOGCVLTGI 290 WPLYWAAOGTLFWAE WPLYWLAOGTMFWAL WPLYWIAOGTLFWAE WPLYWIAOGTLFWAE	300 FULGHD DENGS FVLGHD CGHGS FVLGHD CGHGS	310 POPEN DIPLONS RENDPRONS TO DIPLONT NO DPRONS	320 V H New araxfad3.pep V CH L New araxfadd.pep A CH D New canxfad3.pep V CH L New canxfadd.pep
WPLYWAAQGCVLTGI 290 WPLYWAJASSTLFWAS WPLYWILASSTLFWAS WPLYWIAOSTLFWAS WPLYWIAOSTMFWAL WPLYWIAOSTMFWAL	300 FULGHD DEH GS FULGHD CHGS FULGHD CHGS	310 FSDIPLONS FSDIPLONS FSDIPLONS ODPRINS DSPLUNS	320 V H New araxfad3.pep V H L New araxfadd.pep A V H L New canxfad3.pep V H L New canxfadd.pep L H New conxfad3.pep
WPLYWAAQGCVLTGI 290 WPLYWAJASSTLFWAS WPLYWILASSTLFWAS WPLYWIAOSTLFWAS WPLYWIAOSTMFWAL WPLYWIAOSTMFWAL	300 FULGHD DEH GS FULGHD CHGS FULGHD CHGS	310 FSDIPLONS FSDIPLONS FSDIPLONS ODPRINS DSPLUNS	320 V H New araxfadd.pep V GH L New araxfadd.pep A V GH L New canxfadd.pep V GH L New canxfadd.pep L GH New soyxfadd.pep V GH L New soyxfadd.pep
WPLYWAAQGCVLTGI 290 WPLYWAJASSTLFWAS WPLYWILASSTLFWAS WPLYWIAOSTLFWAS WPLYWIAOSTMFWAL WPLYWIAOSTMFWAL	300 FULGHD DEH GS FULGHD CHGS FULGHD CHGS	310 FSDIPLONS FSDIPLONS FSDIPLONS ODPRINS DSPLUNS	320 V H New araxfad3.pep V G H L New araxfadd.pep A New canxfadd.pep V H L New canxfadd.pep L G H New soyxfad3.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep
WPLYWAAQGCVLTGI 290 WPLYWAAGTTLFWAA WPLYWAAGTTLFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL WLITCFIGGTMFWAL WPLYWAAGTTMFWAL	300 FULGIDE STORES FULCION S	310 F S D I P L I N S F S D I P L I N T L S N D P R D N S F S D S P L I N S F S D S P L I N S F S N N S K D N S F S N N S K D N S	320 V H New araxfad3.pep V H L New araxfadd.pep A V H L New canxfadd.pep V H L New canxfadd.pep L CH New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V CH T New soyxfad2.pep I CASTOR FA-OH.PEP
WPLYWAAQGCVLTGI 290 WPLYWAAGTTLFWAL WPLYWAAGTTLFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL	300 F. V.L. G.H. D. F. G. S. G. S. F. V.L. G.H. D. C. G.H. G. S. F. V.L. G. H. G. S. F. V.L. G. F. V.L. G. F. V.L. G. F. V.L. G. H. G. S. F. V.L. G. F. V.L.	310 F D I P L N S F D I P L N S F S D I P L N T L N D P R N S F S D S P L N S F S D S P L N S F S D S P L N S F S D S P L N S F S D S P L N S	320 V H New araxfad3.pep V H L New araxfadd.pep A V H L New canxfadd.pep V H L New canxfadd.pep L GH I New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V GH T New soyxfad2.pep I CASTOR FA-OH.PEP V CORN FAD2.PEP
WPLYWAAQGCVLTGI 290 WPLYWAAGTTLFWAL WPLYWAAGTTLFWAL WPLYWAAGTTMFWAL WLITCFIGGTMFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL WPLYWAAGTTMFWAL	300 F. V.L. G.H. D. D. G.H. G. S. F. V.L. G.H. D. C. G.H. G. S. V.L. G.H. D. C. G.H. G. S. V.L. G.H. D. C. G.H. H. A. V.L. G.H. E. C. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. G. S. V.L. G.H. E. C. G.H. E. G.H. E. C. G.	310 F S D I P L I N S F S N D P K N S F S D S P L I N S F S D S P L I N S F S N N S K D N S F S N N S K D N S F S N S K D W V D D F S S L D D	320 V H New araxfad3.pep V H L New araxfadd.pep A H L New canxfadd.pep V H L New canxfadd.pep L H New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V C T New soyxfad2.pep I CASTOR FA-OH.PEP V O V CORN FAD2.PEP New araxfad2.pep
WPLYWAAQGCVLTGI 290 WPLYWAA TTLFWAT WPLYWAATTLFWAL WPLYWAATTLFWAL WPLYWAATTMFWAL WPLYWAATTMFWAL WPLYWAATTMFWAL WPLYWAATTMFWAL	300 F. V. L. G. H. D. D. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. F. V. L. G. H. D. C. G. H. G. S. T. V. L. G. H. D. C. G. H. G. S. T. V. L. G. H. D. C. G. H. G. S. T. V. L. G. H. D. C. G. H. G. S. T. V. L. G. H. D. C. G. H. G. S. T. V. L. G. H. G. S. G. H. H. A. T. H.	310 FENDIPLENS FENDPRENS NDPRENS NDPRENS NDPRENS NDPRENS NDPRENS NS NDPRENS LEBERT	320 V H New araxfad3.pep V H L New araxfadd.pep A H New canxfadd.pep V H L New canxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V C T New soyxfad2.pep I CASTOR FA-OH.PEP V O V CORN FAD2.PEP New araxfad2.pep New canxfad2.pep New canxfad2.pep
WPLYWAAQGCVLTGI 290 WPLYWAA TLFWAL WPLYWIAQGTMFWAL WPLYWIAGGTMFWAL WPLYWIAGGTMFWAL WPLYWAAGGTMFWAL WPLYWAAGGTMFWAL WPLYWAAGGTMFWAL WPLYWAAGGTMFWAL WPLYWAAGGTMFWAL WPLYWAAGGGLLTGV	300 F. V.L. G.H. D. D. G.H. G. S. F. V.L. G.H. D. C. G.H. G. S. V.L. G.H. D. C. G.H. G. S. V.L. G.H. D. C. G.H. H. A. V.L. G.H. E. C. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. E. C. G.H. H. A. V.L. G.H. E. C. G.H. G. S. V.L. G.H. E. C. G.H. E. G.H. E. C. G.	310 FENDIPLENS FENDPLENS FENDPLENS NDPRENS NDPRENS FSNNSKENS KNDVDRENS KNDVDRENS	320 V H New araxfad3.pep V H L New araxfadd.pep New canxfadd.pep V H L New canxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V G T New soyxfad2.pep I CASTOR FA-OH.PEP V D V CORN FAD2.PEP New araxfad2.pep New canxfad2.pep New canxfad2.pep lesqOH.pro
WPLYWAAQGCVLTGI 290 WPLYWAADTLFWAL WPLYWAADTTLFWAL WPLYWAADTTLFWAL WPLYWAADTTLFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAACTGCVUUTGW	300 FVLGHDDGHGS FVLGHDCGHGS FVLGHDCGHGS FVLGHDCGHGS FVLGHDCGHGS	310 FSDIPLENSS FSDIPLENSS FSDIPLENSS NDPRINS FSDSPLUNS FSDLAB	320 V H New araxfad3.pep V H L New araxfadd.pep New canxfadd.pep V H L New canxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V G T New soyxfad2.pep I CASTOR FA-OH.PEP V D V CORN FAD2.PEP New araxfad2.pep New canxfad2.pep lesqOH.pro bjunfad2.PRO
WPLYWAAQGCVLTGI 290 WPLYWAA TTLFWAT WPLYWIAGGTMFWAL WPLYWIAGGTMFWAL WPLYWIAGGTMFWAL WPLYWIAGGTMFWAL WPLYWAAGGGWYUTGU WPLYWAGGGGVYUTG	300 F. V.L. G.H. D. S. G.H. G. S. F. V.L. G.H. D. C. G.H. G. S. F. V.L. G.H. G. S. G.H. G. S. F. V.L. G.H. G. S. G.H. G. G.H. G. S. G.H. G. G.H. G. S. G.H. G. S. G.H. G. S. G.H. G. G.H. G.H	310 FSDIPLINS NDPRINS NDPRINS NDPRINS NDPRINS NDPRINS NDPRINS NSKENS KAROW V DE EXCLUSION V	Jaco V H New araxfad3.pep V H L New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep V H L New soyxfadd.pep V H L New soyxfadd2.pep I CASTOR FA-OH.PEP V O V CORN FAD2.PEP New araxfad2.pep New araxfad2.pep New canxfad2.pep New canxfad2.pep
WPLYWAAQGCVLTGI 290 WPLYWAADTLFWAL WPLYWAADTTLFWAL WPLYWAADTTLFWAL WPLYWAADTTLFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAADTTMFWAL WPLYWAACTGCVUUTGW	300 F V L G H D D C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S F V L G H D C C H G S	310 FENDIPLENS FENDPRENS	Jaco V H New araxfad3.pep V H L New araxfadd.pep A H L New canxfadd.pep V H L New canxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V H L New soyxfadd.pep V A T New soyxfad2.pep I CASTOR FA-OH.PEP V D V CORN FAD2.PEP New araxfad2.pep New canxfad2.pep New canxfad2.pep I lesqOH.pro bjunfad2.PRO F V helianfad2.PRO petroselFad2.PRO

ay January 26, 199										
LHSSLLVP	YFS	W K Y S	5 H F	ннѕ	NTG	SLERI	EVFV	PKPk	A -	Majority
	330			340			350		360)
HERITOR	XIH G	F I	T SEA	Stall C	SVIH S	H V SEN E	SISIS WA	LPE	RV-	New araxfad3.pep
LHESIS I LOVAR	H Ga	Gria	HIR T			H V KN N K				New araxfadd.pep
H SIF I LIVE	100	4.5	CHXR T		NH G	(7.1	36.16 40	LPE		
HIS I LV	т Т н с л́	eer i§	H R T		NH G	H V EN E	20 an	·3-34-6		New canxfadd.pep
LHSSILVP	Ун с 1	r P I	HÀ	HYHIC	NH G			- C	кі-	• •
LHSSITT	XH G	P I	H R T	Han	ннс	HABN 1			к L -	New soyxfadd.pep
LHSTLEND	YFSA	K I	WI TE	THE ST		5 4 D 7 3 D			K V	New soyxfad2.pep
TH'S A L'TOWN	Y FOSIV	rek E	ALC: IR		EVII G	S L E HAD		Pan es k	₩ K 2 2	CASTOR FA-OH.PEP
LHSSLMVAP	4.6 7837	K Y Y	and it		NOT G	S. L. E. R.O.		K K	ELL	CORN FAD2.PEP
FHSELVE	X F.S.	nk ska	HARR		NE C	LEEVEN		TWK TO K		New araxfad2.pep
THE STALLOW				A S	Note G	Layin Layin		RRS	QTS	New canxfad2.pep
F.H.S.E.L.L.V.P.				11418	N G	SI & K		РК	ΑXV	lesqOH.pro
FARSTA VO										bjunfad2.PRO
LHSSMIL	YFS	K.Y.	H:H R		Note:	LEBER		P K S R		helianfad2.PRO
LHS:SICIPURE	Y E SI	大学	MAC.			LERIB	100	API 2017 TO 1	EL	petroselFad2.PRO
HS ALLVIP	¥ . E . S . W	X Y S	RRE	A Dis	N F G	L B RD		P R	SQL	potatoFad2.PRO
	,			2 .50				726.67.4		
- WYSKYL-	NNPI	GRV	L P. L	TVP	LT - :	COWPL	YLAF	NVSG	R P Y	Majority
- W Y S K Y L -	N N P T	GRV	L P. L	7 V P	L T - 1		Y L A F	NVSG	R P Y	Majority
X)K X - 44-				380			390		400	,
X)K-X - VJ-	370 P H S T	- ја м	LPY	380	LPMS	AY PA	390 XX C Y	R S P 🗲	400 K E -	New araxfad3.pep
※K来 - 55 - ※N T - 53 -	370 P H S T D K 🗫 T	- R F	LPY	380 2 P	L P M S	A Y PA	390 XXX C Y	R S P G	400 K E - K K -	New araxfad3.pep
英k n - 五- あn 1 - 到- 家k 子 - 超-	370 PHST DKPT SHST	- R M	L P Y F F F L P Y	380 P L P	L P M S L W M S	AYPF	390 X C Y X W A	R S P 6 R S P 6 R S P 6	400 K E - K K - K E -	New araxfad3.pep New araxfadd.pep New canxfad3.pep
※k s - 至- 女k n - 页- 文h I - 到- 本k - 到-	370 P H S T D K 🗫 T	- R M	L P Y F F F L P Y F F F	380 P L P T V P	L P M S L P M S L P M S	A Y PE	390 V M C Y W M A W M W Y	RSP RSP RSP	400 K E - K K - K E - K K -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep
Xxx N - XX Xxx 2 - T Xxx N - T Xxx N - T Xxx - X - X - X - X - X - X - X	370 PHST DKPT SHST	- M F M F L L L L L L L L L L L L L L L L	LPY FFF LPY FFF	380 P P P P P P P P P	L P M S L P M S L P M S	A Y E E E E E E E E E E E E E E E E E E	390 V W C Y W W A W W A W W A	RSP RSP RSP RSP	400 K E - K K - K E - K K - K E -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep New soyxfad3.pep
英K N - 孤- 英K N - 孤- 英K N - 亞- 英K N - 亞-	370 PHST DKFT SHST DKFT DSMT	M E M E L M	LPY FFF LPY FFF IRF	380 P P P P P P P P P P P P P P P P P P P	L P M S L P M S L P M S	A Y 9 F F A Y 9 F F F F F F F F F F F F F F F F F F	390 Y I C Y X I W A S I W A Y I F S Y I F S	R S P C R S P	400 K E - K K - K E - K K - K E -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep
英K N - 孤- 英K N - 孤- 英K N - 亞- 英K N - 亞-	370 PHST DKPT SHST DKPT DSMT	M F L M A	LPY FFF LPY FFF LPF LPF	380 PPPPP LVAN	L PMS L PMS L PMS L PMS L P L I	A Y 9 F F A Y 9 F F F F F F F F F F F F F F F F F F	390 Y I C Y X I W A S I W A Y I F S Y I F S	RSP RSP RSP RSP	400 K E - K K - K E - K K - K E -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfadd.pep
**************************************	PHST DKPT DKPT DKPT DKYT	M F M F L M A	LPY FFF LPY FFF LPF LPF	380 PPPPPP LPPPP LXAT	L P M S L P M S L P M S L P M S L P L I	A Y P F F F F F F F F F F F F F F F F F F	390 X O W A Y O W A Y O W A Y O F S Y O F S X T A	R S P C R S P	400 K E - K K - K E - K K - K T -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfadd.pep New soyxfad2.pep CASTOR FA OH.PEF
X K N - 11	PHST PHST DKTT DKTT DKMT DSMT DTVT	M F M F L M A V	LPY FFF LPY FFF IFF LPF VS	380 PPPPP LVPP LAAT	L PM	A Y P F F F F F F F F F F F F F F F F F F	390 X O W A Y O W A Y O W A Y O F S X Y O F S X Y O F S	R S P C R S P	400 K E - K K - K E - K K - K E -	New araxfad3.pep New araxfadd.pep New canxfad3.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfadd.pep CASTOR FA OH.FEF CORN FAD2.PEP
	PHST DKPT DKPT DKPT DKYT	HOW TO ME IN MANY OF THE MENT	LPY FFF LPF IRF LPF VS	380 PPLPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	L PM C L PM C L PM C P L I PM C PM	A Y P F F F F F F F F F F F F F F F F F F	390 X 21 C Y X 21 W A Y 22 W A Y 32 F S X 1 X X X 1 X X	R S P G R S P G R S P G R S P G R S P G	400 K E - K K - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfadd.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep
- YKY - T- - YKN - T- - YKN - T- - YKN - T- - FFS - T- - T- - T- - FFS - T- - T- - FFS - T- - T- - FFS - T- -	PHST PHST DKTT DKTT DKTT DKTT DKTT DKTT DKTT DK	THE ME LINE AND THE ME ME ME LINE AND THE ME	L P Y F F F F F F F F F F F F F V S F V H I	380 PPPPPTTLAV	L PM M L L M M L L M M L L M M L L M M L	A Y P F F F F F F F F F F F F F F F F F F	390 X 21 W A Y 21 W A Y 21 F S X 1 A X 2 A X 3 A X 4 A X 5 A X	RSPC RSPC RSPC RSPC RSPC	400 K E - K K - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfadd.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep New canxfad2.pep
FFS-U- FF	PHST PHST DKST DKST DKST DTVT NNCCV	CAN	LPY FFF LPF IRF LPF VHI VHI	380 R P P P P P T T T A A A A A A A A A A A A		A Y P F F F F F F F F F F F F F F F F F F	390 X 21 W A X 21 W A X 22 W A X 24 F S X 1 X 3 T	R S P G R S P	400 K E - K E - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep New canxfad2.pep
	PHST PHST PHST THST THST THST THST THST	TO SECOND	LPYFFLPFLPFLPFLPFLPFLPFLPFLPFLPFLPFLPFLPFLP	380 P P P P P P T T A A A A A A A A A A A A		A Y P F F F F F F F F F F F F F F F F F F	390 CYCLW A	R S P G R S P	400 K E - K K - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep New canxfad2.pep lesqOH.pro bjunfad2.PRO
- Y K Y - U Y K Y S K Y F - Y K Y S K Y F S K Y F - Y K Y S K Y F	PHST PHST PHST THST THST THST THST THST	THE PARTY OF THE P	LPYFFF LPFF LPFF VHI VHI VV SM	380 PPPPPTTLAAV	L L L L L L L L L L L L L L L L L L L	A Y P F F F F F F F F F F F F F F F F F F	390 CYCLW A	R S P G G G G G G G G G G G G G G G G G G	400 K E - K K - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep New canxfad2.pep lesqOH.pro bjunfad2.PRO helianfad2.PRO
- Y K Y - U Y K Y S K Y F - Y K Y S K Y F S K Y F - Y K Y S K Y F	PHSTTTGEVENT	THE PROPERTY OF THE PROPERTY O	LPYFYFF LPF LPF LPF LPF LPF LPF LPF LPF LPF L	380 PPPPPTT AATT TO THE TOTAL AATT TOTAL AAT	LLL LT T - LT T	A Y P F F F F F F F F F F F F F F F F F F	390 CYCLWA C	RSPCRSPCRSPCA	400 K E - K K - K E - K T -	New araxfad3.pep New araxfadd.pep New canxfadd.pep New canxfadd.pep New soyxfad3.pep New soyxfadd.pep New soyxfad2.pep CASTOR FA OH.FEF CORN FAD2.PEP New araxfad2.pep New canxfad2.pep lesqOH.pro bjunfad2.PRO






G T P V Y K A M W	- REALECVYVE	P D S	Majority	
570	580	590	600	
		- 1		
ESLVASIKKDHY	540	T P D L Y V Y A S .	New araxfad3.	
. E I L A K S I K E D H Y	VSDEG SVV SYK	A 📈 P ·	New araxfadd.	pep
ESLVASIFEDHY	V S D T G D I V F Y 🕏	T P D L Y V Y A S -	- New canxfad3.	pep
G ILAKSIFEDHF	V S D E G D V V X Y	A 风 P -	New canxfadd.	эер
KYLIQSMFQDHF	V S D T G D V V 🐉 Y Q	Т 📆 s -	- - L L - New soyxfad3.	pep
E EIIPSFFTDHF	V S D T G D V V Y Q	T 🕶 s i	IN New soyxfadd.	pep
ND TO THE STRUCK WIL W	- REAL	E-	- G New soyxfad2.	pep
FREE RIK ALW	- P. L F	E-	G CASTOR FA-OH.	?EP
DPTPVAKATW	- REE G 5 6	E	CORN FAD2.PEP	
FT PHY VANY	-		2 New araxfad2.p	ep
COLOR V V K W W	-	· ·	Q New canxfad2.p	ep
	- L L	2 2 T -	🎇 lesqOH.pro	
) E 	-	3 3 -	D bjunfad2.PRO	
KTOPF KYRTHW	- M M L F	Q	helianfad2.PRC)
D 12 V V K 2 W W	- 3 L	E -	G petroselFad2.F	'RO
CIEIXKEMW	- REAL ED L	К Е -	S potatoFad2.PRC)
- G K G V F W	Y N N K L		Majority	
610	620			
	——————————————————————————————————————			
- D 🍇	- S K I N		New araxfad3.p	еp
- N L Y G E V K	- V R A D		New araxfadd.p	еp
- D	- S K I N		New canxfad3.p	ер
- N L Y G E I K	- V T A E		New con fadd.p	еp
- L H	- SQRD		New oyxfad3.p	eр
- G S	SKLE		New s yxfadd.p	ep
S E K 6 V X W	R X Y		New soyxfad2.p	ep
PT CAPEN	RNEY		CASTOR FA-OH P	EΡ
- R R 332 F	KKF		CORN FAD2.PEP	
DR KIGVXW			New araxfad2.p	ер
E T CGOV F W	N/A		New canxfad2.p	
G K K G V Y Y	No.		lesqOH.pro	-
EK K GY F WA			bjunfad2.PRO	
K G G 7 F W	K N EM - N .		helianfad2.PRO	
QGKGIF			petroselFad2.Pl	RO
2 G k GV F W	к .		potatoFad2.PRO	

ition 'Decoration #1': Shade (with bright turquoise at 40% fill) residues that match ${\tt araxfad2.pep}$ exactly.

Attachment VI



New soyxfad2.pep = soybean delta-12 desaturase CASTOR FA-OH.PEP = castor 12-hydroxylase New araxfad2.pep = Arabidopsis delta-12 desaturase New canxfad2.pep = canola delta-12 desaturase CORN FAD2.PEP = corn delta-12 desaturase bjunfad2 PRO = Brassica juncea delta-12 desaturase helianfad2.PRO = sunflower delta-12 desaturase petroselFad2.PRO = parsley delta-12 desaturase potatoFad2.PRO = potato delta-12 desaturase lesqOH = Lesquerella fendleri 12-hydroxylase New araxfadd pep = Arabidopsis plastidic delta-15 desaturase New canxfadd.pep = canola plastidic delta-15 desaturase New soyxfadd = soybean plastidic delta-15 desaturase New soyxfad3 = soybean microsomal delta-15 desaturase New araxfad3 pep = Arabidopsis microsomal delta-15 desaturase New canxfad3.pep = canola microsomal delta-15 desaturase

Physiology, Biochemistry and Molecular Biology of Plant Lipids

Edited by

John Peter Williams

Mobashsher Uddin Khan

and

Nora Wan Lem



KLUWER ACADEMIC PUBLISHERS

DORDRECHI / BOSTON / LONDON

A C.I.P. Catalogue record for this book is available from the Library of Congress

ISBN 0-7923-4379-4

は 100mm 1

Published by Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, The Netherlands.

Kluwer Academic Publishers incorporates the publishing programmes of D. Reidel, Martinus Nijhoff, Dr W. Junk and MTP Press.

Sold and distributed in the U.S.A. and Canada by Kluwer Academic Publishers, 101 Philip Drive, Norwell, MA 02061, U.S.A.

In all other countries, sold and distributed by Kluwer Academic Publishers Group, P.O. Box 322, 3300 AH Dordrecht, The Netherlands.

Printed on acid-free paper

s. Rights Reserved
s. 1997 Kluwer Academic Publishers
No part of the material protected by this copyright notice may be reproduced of utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without written permission from the copyright owner.

Printed in the Netherlands

EXPRESSION OF CASTOR AND *L. FENDLERI* OLEATE 12-HYDROXYLASES IN TRANSGENIC PLANTS

Effects on lipid metabolism and inferences on structure-function relationships in fatty acid hydroxylases

P BROUN, N. HAWKER and C.R. SOMERVILLE Carnegie Institution of Washington Department of Plant Biology 290, Panama street Stanford CA 94305

Introduction

Ricinoleic acid (D-12-hydroxyoctadec-cis-9-enoic acid), is an hydroxylated fatty acid which constitutes 85-90% of the seed fatty acids in castor bean plants (*Ricinus communis I..*). This unusual fatty acid is also one of a series of related Hydroxy Fatty Acids (Hi-As) produced in the seeds of *Lesquerella* species. In these species, which, like *A. thaliana* and rapeseed belong to the *Brassicacae* family, ricinoleic acid is generally a minor constituent. Major HFAs include densipolic (12-OH, 18:2 (3,9)), lesquerolic (14-OH, 20:1 (9)) and auricolic (14-OH, 20:2 (3,9)) acids.

In castor, where metabolism of HFAs has been studied in most detail, ricinoleic acid is synthesized in seeds on phosphatidyl choline, then very efficiently removed from membranes and transferred to the triacylglycerol pool (Bafor et al., 1991).

Recently, we have reported the isolation of a cDNA clone encoding the oleate 12- hydroxylase from castor (van de Loo et al., 1995). Constitutive expression of the hydroxylase cDNA in transgenic tobacco resulted in accumulation of low levels of ricinoleate in seed lipids, but not in leaves and roots. In order to further characterize metabolism of HFAs in transgenic plants, we have introduced this cDNA into 4 thaliana. We report here how lipid metabolism is affected in transgenic plants.

Extraplastidial 60-6 desaturases and castor oleate 12- hydroxylase share a number of biochemical characteristics. Cloning of a cDNA encoding the castor hydroxylase has also confirmed that the two enzymes are closely related (van de Loo et al., 1995). Although reaction mechanisms are expected to be similar they lead to a lifetiment outcome. In order to investigate what structural components in these enzymes are applicable of the design of the lead to recoding another oreate 12-hydroxylase, from Lesquerella fendleri. Multiple comparisons of desaturase and hydroxylase sequences revealed key differences between the two categories of enzymes. We report here investigations at their fine train disportionness.

We designed degenerate primers based on the sequence of castor fatty acid hydroxylase CFah12 and used them to PCR-amplify cDNAs from *L. fendleri*. One such cDNA detected an abundant seed specific transcript on Northern blots of *L. fendleri* RNA. Its sequence had extensive similarity with the CFah12 gene. This cDNA was used to isolate a genomic clone which was introduced into *A. thaliana*.

Expression of the *L. fendleri* gene resulted in accumulation of HFAs in transgenic plants, up to 15% of seed fatty acids, thus establishing the gene encodes *L. fendleri* hydroxylase LFah12.

Transgenic plants expressing CFah12 under the control of a strong seed specific promoter were also obtained. In these plants, HFAs constitute up to 20% of the seed fatty acids. Seed fatty acid composition of *A. thaliana* plants expressing CFah12 or LFah12 is very similar, suggesting the two enzymes have comparable activities in transgenic plants.

Ricinoleic acid is only one of four HFAs produced in transgenic seeds, which also accumulate densipolic, lesquerolic and a small amount of auricolic acid. This suggests that *Arabidopsis* and related *Lesquerella* species metabolize ricinoleic acid in a similar way.

Expression of LFah12 under the control of the CaMV 35S promoter did not affect fatty acid composition of vegetative organs, even though hydroxylase activity could be detected. This implies either poor enzyme activity or efficient turnover of HFAs in non-seed tissues.

Accumulation of HFAs was accompanied with an increase in oleate levels and a concurrent decrease in 18:2 and 18:3, suggesting the oleate 12- desaturase is inhibited in transpenic plants expressing either gene

2. Investigations of Structure-Function Relationships in Hydroxylases and related Desaturases

į

...

AND THE PERSON OF THE PERSON O

We performed multiple comparisons between oleate 12- desaturases, CFah12 and LFah12, and identified six residues conserved among desaturases which differ in fatty acid hydroxylases. Using appropriate growth conditions (Covello and Reed, 1996), we were able to express LFah12 in yeast, under the control of the *GAL1* promoter. Yeast strains over-expressing the *Lesquerella* gene accumulated a small amount of ricinoleic acid. We could also detect small levels of 18:2, indicative of some desaturase activity of the enzyme in this context.

In order to establish the functional significance of observed residue differences between desaturases and hydroxylases, we used site-directed mutagenesis to substitute desaturase residues for the corresponding residues in LFah12 at all six positions. In yeast strains expressing the mutant hydroxylase, ratios of 18/2 to ricinoleic acid levels were made than 20 ft Id higher than in control strains expressing the wild type gene (fig. 1). This result indicates that these residues are essential in LFah12 in determining the outcome of fatty acid oxidation.

Conclusion

We described here the isolation of a novel fatty acid hydroxylase from L. fendleri. We also presented some results from the analysis of transgenic A. thaliana plants expressing the castor and L. fendleri genes. We plan to use these transgenic plants to dissect mechanisms involved in removing HFAs from membranes, channeling them to storage lipids or breaking them down. We also hope to gain understanding of what controls such mechanisms.

We also reported here the critical role played by a small number of residues in controlling the outcome of fatty acid oxidation. Narrowing down on fewer residues will make it easier to rationalize structural differences between hydroxylases and desaturases, and understand how these differences affect reaction mechanisms.




Figure 1: Gas. In the ogram of fatty acid methyl esters from yeast strains expressing a vol. Type or a mutant fatty acid hydroxylase from Intendleri

Balor, M., Smith, M.A., Jonsson, L., Stobart, K. and Stymne, S. (1991) Ricinologica and bioexorbic condinational in a resembly in nucrosomal preparations from developing castor-bean (Ricinus communis) endosperm. *Biochem. J.* 280, 507-514.

x oveno (1.8) and (seed, (1.8), (1996) Functional expression of the extraplastidial Arabidopsis thaliana oleate desatorase gene (1.402) in Saecharomyces cenvisiae, *Flam Physiol.* **111**, 233-226.

san de Lore. N. Bronn, P. Eurner, S., Somerville, C.R. (1998) An oleate 12- hydrox-base from eastor (Richaus communis E) is a fatty acyl desaturase homologue, *Proc. Natl. Acad. Sci. USE* 92, 6743-6747.

Alignment Workspace of fad2 Hein.MEG, using J. Hein method with Weighted residue weight table.

Friday, April 04, 2003 1:46 PM

ATGGGTGCT	A_GGG_30GG	THOTAGGATGCCGGTG	19:5115		GITACTICIT			1	CAHGAAATG
10	10 20 30 4	30	\circ	50	60	70	0.8	_2	10
D13776 (desA).SE AIGACIGOCAOGATION OCCUTTOAGGOCAACG	ACGATTORO	CCGTGAGG	AA0G		-	HODELLI-	CARACATOTA	1	
CDS SEQ ID 1.SEQ ATGRATADAAGGRABADAATACOGGTT	1 - 1 - 1 - 1 - 1 - 1	GRAGAATGO	19977	1 1 1 1 1 1 1 1	CCTACTION	HOHEL-11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	CANGARATO 47
CES SEC TO 3. SEC ATOMOTE AT THE THE THE TRANSMISSION OF THE THE THE TENERS OF THE	1 + 1 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	TOPHERATION	1433 G		1	100311111			CAMAAAGIC
CDS_SEQ_TD_9.SEQ_ATGGGAGT-++AG-++AGGTGGTGTGGGGAAA+++++	AG	WEITETT GO]]AAA	1 1 1 1 1		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	GF		GRIGHTON 39
CDS SEC ID 7, SEC ALGORIZON ROPOMORINE OBSERVARIA DIRECTAR A FINAL A VIOLOGIA MATERIALITATA CALLA CALLA CONSTRUCTURA CALLA CAL	THE MEST SEC.	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			TO GREET TO THE	MITHN			TIL GILARGG 80

110 120 130 140 150 160 170 180 D13778 (desa).se		:					1 1 3	;) 티 - - - - - - - - - - - - - - - - - -)]] ,
110 120 130 140 50 150 160 170 D13778 (desh).SE					1123 4	が取り込む。 では、 では、 では、 では、 では、 では、 では、 では、	33.3.3.33334			::: ::::::::::::::::::::::::::::::::::	1)
110 120 130 140 150 160 160 17 D13778 (desa).se	TOUCHARDICANAM AND ACT OF CAROLIC	() l	- 1	1 1 1 1 1 1 1 1 1	TORONG.	CACAAAGCCAC	- AAA COOM		5.050000WHAADOTT-		CDS :
110 120 130 140 150 160 160 17 110 120 130 140 150 160 17 150 160 17 150 150 160 17 150 150 150 150 150 17 150 150 17 150 17 150 150 17 150 150 17 150 150 17 150 150 150 150 150 150 150 150 150 150			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			CGAGACACCI	CHESTA COM	CATCAAG	3. SEQ TGAAACTGACAA-	SEC III	SQ0
110 120 130 140 150 160 170 170 170 170 170 170 170 170 170 17	TOTAL CONTROL OF CONTROL OF THE CONT	30.4	1 1 1 1 1	i		CGAGAGAS AS	Table Time Care	CACAAAA	1.SEC GRAACT GACACT	SEC ID	CUS
160	TACHARAN DOUGH TOTAL AND	Zı'.	1	2	ANYL THE	CGPONATTE			(C)	78 (des	D137
	170 180 15: 200	0	171	160	: (5-	140	130	120	110		
					_ _ _						

'	~	٠,	'. ۳					
2 HT 4.1 00 MH 10	ID 7.SEV BOTGOTTOGRADACTOGGIACTORACIOCTTOTOGGIACGTAGGIACTORICATORI	ELE SERRATETTO ARRENOLITER TITATOTOTATETETETETEN ALVOTITATION ALITOTOTATION AL ALITOTATOTOTA DE NOVE DI CORON 21	Mari Hai Mil	ID 1.850 ATTGTTT AAAOG TO AATOOTO SICTTOTOTATOTATORS ON MICHITATAGO TOTATOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTOTO	(dese) ee messetssmeemaanasiaasinasistaastsista tiiaata oo aaaasaa bostsussootasist sy taatt 194			
. i i	-1	· J1	THE PROPERTY OF THE PROPERTY O	\	B			
G C	[]. [].	(7) (1) (1)		(7) (5) (0)	• (g [1]			
: - -	Ė	Þ	æj.	101	DJ DJ		AC	
3	<u>-</u>	· -!	1 d		id Gi			
4					4			
1		7		Ţ	<u>`</u>	210	G G Z	
Ē!	رآد	.,			Ã	C		
.) 1	-1 -1		41 7	હેં! .1	LAL			
:! - i	- 	-;	() ()	Τ.	17.7		ີ່ ເມີ	
- <u> </u> - !	21	1.7		1	<u>ن</u> ن	011	G1 1 ∩	
i	. 1		á	-5	į.	O		3.83
	Ĭ.	Ţ\$.		Į.	葛			I
í	Ĭ,				\$. 		17	
i	-; -1	11.			·	Ω- ω-	·) 	
.i. */	-1	÷		-1	1	O		
붛	昌	-1	Ş				3	25 to
14	Ţ.,	:- [t:	1,	1	1		Ĭ.	Ni:
1	41 44		- 1	-1	į.	240	:∰ 1	
11	(1) (4)	47	11	크	(i) (i)	Ō	댴	100
i		:		· .	Á		- i	97 32
] + ; ;	7	1.	1	4.				Ţ
		ij,		1	• •	00- 00- 00-	<u>۔</u> ا	
- 1	j	- 1		峊	1=1 1-1			
-) j.;	1;	1 1 1]	31	1] !	
- i	1	-		3	į.	, .]] [:::	- Ex-
ļ.,	= 1	41	11	12. 14.	- 1	\@\ -	1.5	100
		. :	. :	-1	Ţ		-1	
- !	i.	3.	 	4	4.			
- 1		F 1	14.1			t.o	1- <u>1</u> 1- <u>1</u>	
•	- : !		. :			-]- -]-		ψ.
1	4	31	À	à,			H	
; ;	ΤX	1	7	j.	E I		킃	
5 i	- :) ·	5		ξί ψ)	: :r:-	4	
	Ç.			;	() Hd 34		4	
اند	7.	1		33	: ()		pj.	7.5
,		4.5			7			٠.
		24		2	77.4		1	
. 1	Ç.)			1	 Ed		1	
F 1	7.1	+ 1	F +	- I	. ; ∏≱		ACTECTICEASCECTRESIONTO POTOTTO ICCIACETTENTAL - VITILATIATION TO THE TENTAL TACET AND A TOTAL	
	(1	9		\ominus	ļ.		. 1 . 1	-
- 1	() ()			()	i	ယ ံ-		
サーザン・・ログロック ピーグ・・・コー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	(1 00	[\sqrt{1}] k==	# 3335 F 197	25. The state of t	5	0		
•	==		:		٠. ت			


SOD

10 [5] D13778

CDS CDS

(7, tr, tr) (7, tr, tr) (7, tr, tr) (7, tr, tr)

(7) (T) (C)



333 SQD ID 7.8EQ GCTO YAAAYOGGCIACGYCGCCTAGYCGCTGIACIGGAICA YAGAAGIACGIGCAGAACAACAA STACTION 1000000 TGTSST TAC 315


Alignment Workspace of fad2 Hein.MEG, using J. Hein method with Weighted residue weight table. Friday, April 04, 2003 1:46 PM

		() () () () () () () () () () () () () () ()	CACBOOTTCAGETACTATO	CHOSCOTTCHACTACTACTACTACTACTACTACTACTACTACTACTACTA	31 TATEATA		7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				1; 1		
			410	410 420 430 440 450	430	440	45 -	460	470	480		4.6	460 500
	E G	[-) [1] [-]	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					. ,	CVSCWIII TO THE TANK TO THE TOTAL CONCENTRATION OF THE TOTAL CONCENTRATION		;		TT TOTACGACC
			PAR STATE	THE SECOND CONTROL OF THE CONTROL OF THE SECOND CONTROL OF THE SEC	TEMESTATION	A BITTORY TO B		+ 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1	The second of th	• 1)		1000
			111111111111111111111111111111111111111	COMPANY OF THE PROPERTY OF THE	TOWN WAY					• 1	1		
				ON THE TRANSPORTED AND AND THE STATE OF THE	FIRTH TATES		W. W.	PATA				i	1
,		· (1) • (1) • (2) • (3)		CONTRACTOR OF THE WAY TO A CONTRACTOR OF THE STATE OF THE				Maria Maria		• 1	. () ::;	3	
		, i		The second of th					The second secon	4 24 1		. :	

C (C C C C C C C C C C C C C C C C C C	
D13778 (365A).CE ERCONT GORTONASSANONTEOTRASANON	TOP
	TCTCU- JACUSSTTSTGACGC 610 620
SACACTECT COATCOTARC CATOTTARC CTCCCTTCT CSCACACTTCC	GACGUTTSTS 620
	G30
TOTAL TARREST OF THE CONTROL OF THE	CTCU-JANUSSITISTICACCOTTATISTICCACCONACCONACCONOCISIS TOTOGRATITACCONINGALITY TOTOGRAFIAN
	500
	550 S
	210 210 201. TOT
TARRESTITAMISO POWART TAR TARRESTITAMISO TON POWART TAR TARRESTITAMIS TO TON POWART TAR TARRESTITAMIS TO TON POWART TARRESTITA TARRESTITAMIS TO TON PART TO TAR	90 089 0 0
AT ATK OTTIGO	650
TITERAM TUMAN TUTAM TENTAM TO ANAMATERA TO ANAMATERA ANAMATERA TO ANAM	700

TIGOCRITE SANCE TACKTONAL TANARGARONGO AND ANAGARONGO ANAGARONG
--

Alignment Workspace of fad2 Hein.MEG, using J. Hein method with Weighted residue weight table



	ACACTCATCCTTCGTTGCCTCACTATGACTCATCAGAGTGGCH.TG.	BECCICACTA	TGACTCATCA	GAGTGG A.T.	· · · · · · · · · · · · · · · · · · ·	7. 1.1.1.2.1.1.	1-1A 1022107	F. Alvanoz	102 to 04 to 02	12TA
	910	9 <u>7</u> 0	930	910 920 930 940 a50	5- 5-	950 950	970 980	980	00001	100
CI CI CI CI CI CI CI CI CI CI CI CI CI C	DICTION OF THE TOTAL OF THE PROPERTY OF THE PR		The Committee	OMET FORETHIS	, T	ASTRACT.	000000000000000000000000000000000000000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	ODE BED 16 1.200 ACESTONIOS TORTOSTONIONS BUSINESSA NATIONALIA SE	11.00000000000000000000000000000000000	NETTO MECH	SWOTHGAR TO SE		37TTT37	1-80-35503	WARRANGETTTOP CHILLEN STAFFARAGETES		
	THE DEC. OF THE WORLD BY A DESCRIPTION OF THE PROPERTY OF THE			AA07.03083		30443404	1120 004 004		TAR TOTT GEROMAN 920	EST MAD
	CHANGE OF THE WORK OF THE SOCIETY OF THE SOCIETY OF THE SECRETARY OF THE SOCIETY	TECT RITE		MAT TO A TITLE	1. The State of the Control of the C		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	THE STATE OF THE PARTY OF THE STATE OF THE S	TOTGAATAA 908	AAT AA
	OTT OTO IT I THE WIND HOUSE FOR TO THE OWNER OF THE STATE	10300K0FF	TELTTOM	番門の時間に			1-11 1 11 11 11 11 11	的是如果了了一下,我们的最后的母亲。		
SEC 11 11.	AND WELL TO THE POST OF THE PO	31,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11111111111	1331322111		1.1.2.4.2.1.1.	·	1 ' this 1 - 2 - 2 - 1		ファファンフ

ELSTIN (AUS), SE ACIACTITACACATATATATA ACATATATATATATATATATATATA
ACAL PROMINATION 1070 1060 1070 1
1060 1070 1060 1070 1060 1070 1070 1070 1070 1070 1070 1070 107
1060 1070 TOTALINATION TOTALIN
1070 MORTO MATS
1070 1070
to be be be to be seen to the control of the contro
国内国际 5 图
TO C TABLE OF THE TABLE OF TABLE OF THE TABLE OF T

CUBBRICANTATA CARRESTANCE CONTINUA ALCO AND ALCO ALCO ALCO ALCO ALCO ALCO ALCO ALCO	0000000		
	たたけがらい。 2000年2月2日の 60米/松水があり		
	t. 11 to 11 to 6		
	+ 1 1 1 10 + 1 1 1 + 1 1 + 1 + 1 + 1 + 1		
	C3 P3	ı	○ ■
) (기술) (기술)
			; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
		111(
	8666666 8888888		
		112	
		0	37
		113	
	3 / 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0	ë ∃∎
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
		114	II.AV
		0	() () ()
			H
		յ Մյ−	1
		0	34
		116	() () ()
		0	i
	(4) 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
		117	; ; (r)
		0	
	그 한 취취 취취 취임		
		11-0	
		0	
115 1200 1200 1200 1200 1200 1200 1200 1200 111			
1200 1200 1200 1200 1200 111 120 116 02 111 120 116 116 116 116 116		1	
1200 1200 1200 1200 11000A 111 11000A 111 11000A 110 11000A 110 11000A 110 11000A 110	### H	1,	
1200 1200 ATG 102 FOR 111 173 116 176 116	4 4 4 4 1 1 1 1 1 1		·
	VII.	220	P.
	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	0	

Alignment Workspace of fad2 Hein.MEG, using J. Hein method with Weighted residue weight table. Friday, April 04, 2003 1:46 PM

	AGAAAG:	
1210	GGTGTTCT	
1220	TGGTACAACA	
1230	AGAAAGGCGTGTTCTGGTACAACAATAAGTTTTGA	

11. SE CACAAG ROSTTTTO TAGTA COGNACAAGTATTAA	i_, i_,	(/, (F) #]:	SIJO
SEQ ID 7.SEQ GUAAGGGOGTOTTOTGGTACAACAAGAAGTTOTAG	i ID	U. E.	SdD
5.SEQ AGAMGGCGTGTATTGGTACAGGAACAAGTATTGA	F-1	k]	CDS
K.SEQ MGAAAGGIGIGITGITGIAGIAGAAGAATAAGIITAIGA	H-1	CDS SEC	SGD
ID 1.8FQ AGAAAGGIGIGIACIGGIACAACAAIAAGIITAIGA		CDS SEQ	SdD
D13778 (desA).SEGCTACCGCACCTTTAGCTCCCTCAAATAA	(Q.	3 C C	D13

Friday, April 04, 2003 1:46 PM Sequence pair distances of fad2 Hein.MEG, using J. Hein method with Weighted residue weight table.

Percent Identity

		Di	verg	jeni	e -		
	6	٦.	4	3	2	1	
1	100.0	97.8	100.0	100.0	100.0		1
2	47.6	50.4	46.1	16.0		39.6	2
ယ	48.6	42.7	46.6		85.7	40.8	3
4	38.4	57.8		65.8	66.0	38.8	4
5	60.3		59.9	67.5	63.5	45.8	Çī
တ		58.9	70.6	64.8	65.3	39.8	6
	6	5	4	ယ	2		

D13778 (desA).SEQ
CDS SEQ ID 1.SEQ
CDS SEQ ID 3.SEQ
CDS SEQ ID 5.SEQ
CDS SEQ ID 7.SEQ
CDS SEQ ID 11.SEQ

Alignment Workspace of 1043-D suppl.:MEG, using Clustal method with PAM250 residue weight table.

Friday, April 04, 2003 1:43 PM	
	MGRGGENEUTENGRREGEGIVELLER TEGERE ET WGETRRATT GEERSTER FER VON HALLAGO ETT LASTER ELLE VOL. 10 40 50 60 70 80 9 100
CONTROL OF THE CONTRO	日報日報64 1. 四級 1. 50 1 日報 1 四級 1 日報 1 円 四級 円額 1 円 円 四 1. 1 日 円 円 田
	HEFHISTISSLEFIEVETER-PERISM-VERVI AND TED 200
	WIGIALLGARFVOHOCGHEZERARKRWINDIVSHIAFARIIYNFFFONET HOHHHLHTMKIFVONIMODPWIVERAE, NSTVITTE VYRIRCHEW 164 TITUU JUWVIAHE THAAASTVYMILITHISTILVFYSONET HERHHRITTGIEFDEFFVEFF -5QUIXUTEVITTET MIT VQFTLG 184 IIJDU TUTUWVIAHE THHAASSVYMILITHISTILVFYSONET HERHHRITTGIEFDEFVEFF -5QUIXUTEVITTET THE 184 IIJDU TUTUWVIAHET HHAASSVYMILITHISTILVFYSONET HERHHRITTGIEFDEFVEFFFFFFFTONET TON TOR TYLIVQITIG 184 IIJDU TUTUWVIAHET HHAASSVYMILITHISTILVFYSONET HERHHRITTGIEFDEFFFFFFTON-VORTON TOR TYLIVQITIG 194
	300
	WELVIARINGGERVIS-FACHFEIVAFIXICHEPLQIXISIANNET CHANAFFAIITUTGVWGEVKEWIMFWLVZUSWM IN HUNDE PENDAM 200 WELVIARINGGEFYNG SEANHEBENAFIXICHEPLQIXISOANNIAVOTERNIFATAAGRWARMI NO KHILLIAMEN NI CHANFORD CHANAFORMA 200 WELVIARINGGEFYNG SEANHEBENAFIXICHEPHLQIXISTANDVOOVOLYBWANG VOLUWILLOVGWURIT TOO GELHEA LEHVISS 260 WELVIARINGGEFYNG THEFFYNG INTERESINISTAND CHANAFORWILLOVGWURIT VONG THIND CHANFA LEHVISS 260 WELVIARINGGEFYNG THEFFYNG INTERESALIENVOLAND CHANAFORWILLOVGWURIT VONG THIND CHANFA LEHVISS 260 WELVIARINGGEFYNG TOO GELHEA ERANG 200 AND WELVIARINGGEFYNG AND WELVIARINGGEFYNG AND WELVIARING AND WELVIARINGGEFYNG AND WELVIARING
	EWDWIRGAL-AIVURIUS IN 320 330 340 350 350 360 370 380 3 7
SECTION SECTIONS SECT	ANNANAL UN SEGENATURAN AUTORANA MONTANA MANTAN MANTAN MENTRANTRA PER TRANSPORTANTE AND AND ANNANA MANTANA MANT

Percent Identity

		Di	verg	gen	ce			
	6	5	4	3	2	1		
	200.0	184.8	203.0	195.0	197.7		1	
N	45.0	37.0	39.0	17.3		18.5	2	
ယ	51.5	40.2	43.6		82.8	17.9	3	
4	42.9	45.2		63.6	68.1	17.1	4	
Ŋ	53.1		62.5	64.8	67.9	19.7	Ċħ	
တ		58.9	64.9	60.1	65.3	18.2	6	
	တ	51	4	ω	2			

desA.PRO SEQ ID 2.PRO

SEQ ID 4.PRO SEQ ID 6.PRO

SEQ ID 8.PRO

SED ID 12.PRO

